


Amendments to the Claims:

This listing of claims will replace all prior versions,
and listings, of claims in the application:

Listing of Claims:


1. (Original) A fungicidal mixture, comprising
(1) 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-[1,2,4]-triazole-3-thione
(prothioconazole) of the formula I or its salts or adducts



and


at least one further fungicidal compound or its salts or
adducts, selected from the group consisting of

- (2) trifloxystrobin of the formula II




and

(3) picoxystrobin of the formula III




and

(4) pyraclostrobin of the formula IV




and

(5) dimoxystrobin of the formula V



and

(6) a strobilurin derivative of the formula VI




in a synergistically effective amount.


2. (Original) A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and trifloxystrobin of the formula II.
3. (Original) A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and picoxystrobin of the formula III.

4. (Original) A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and pyraclostrobin of the formula IV.
5. (Original) A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and dimoxystrobin of the formula V.
6. (Original) A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and the strobilurin derivative of the formula VI.
7. (Original) A fungicidal mixture as claimed in claim 1, wherein the weight ratio of prothioconazole of the formula I to
 - trifloxystrobin of the formula II is from 20:1 to 1:20,
 - picoxystrobin of the formula III is from 20:1 to 1:20,
 - pyraclostrobin of the formula IV is from 20:1 to 1:20,
 - dimoxystrobin of the formula V is from 20:1 to 1:20 and
 - the strobilurin derivative of the formula VI is from 20:1 to 1:20.
8. (Currently Amended) A method for controlling harmful fungi, which comprises treating the harmful fungi, their habitat or the plants, seeds, soils, areas, materials or spaces to be kept free


from them with ~~the fungicidal mixture as claimed in claim 1.~~
an anti-fungal effective amount of a compound of formula I




or a salt or adduct thereof and at least one compound of
formulas II, III, IV or V




(3) picoxystrobin of the formula III



(4) pyraclostrobin of the formula IV



(5) dimoxystrobin of the formula V



or a salt or adduct thereof.


9. (Original) A method as claimed in claim 8, wherein the compound of the formula I as set forth in claim 1 and at least one compound of the formula II, III, IV, V or VI as set forth in claim 1 are applied simultaneously, that is together or separately, or in succession.

Claim 10 (Cancelled)


11. (Original) A fungicidal composition, comprising the fungicidal mixture as claimed in claim 1 and a solid or liquid carrier.

12. (New) A method as claimed in claim 8, wherein the compounds are applied to agricultural crop areas in a total amount of from 0.1 to 8 kg/ha.


13. (New) A fungicidal kit for controlling harmful fungi comprising, in separate containers, a compound of formula I




or a salt or adduct thereof, and at least one compound of formula II, IV, IV or V




(3) picoxystrobin of the formula III



(4) pyraclostrobin of the formula IV



(5) dimoxystrobin of the formula V



or a salt or adduct thereof.